

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -****Terms****Documents**

11 with 12

1

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L3

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Monday, March 10, 2003 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT,PGPB; PLUR=YES; OP=AND

<u>L3</u>	11 with 12	1	<u>L3</u>
<u>L2</u>	knockout or null near3 (mutant or mutation)	8018	<u>L2</u>
<u>L1</u>	pttg or ptsg or pituitary near3 (transform\$ or specific) near3 gene	43	<u>L1</u>

END OF SEARCH HISTORY

[Generate Collection](#)[Print](#)**Search Results** - Record(s) 1 through 1 of 1 returned.

☒ 1. 20030017559. 30 Mar 01. 23 Jan 03. Method to produce succinic acid from raw hydrolysates. Donnelly, Mark I., et al. 435/145; 435/252.33 C12P007/46 C12N001/21.

[Generate Collection](#)[Print](#)

Terms	Documents
11 with 12	1

[Previous Page](#)[Next Page](#)